

Appendix H Reference Case v. Preferred Scenario Delays Differences

2040 Horsham Preferred Local Plan Scenario minus Reference Case Scenario Delays AM - Wide

SATURN

AtkinsRealis
/ DVV / ITS

```

    trict_AM_LP_
    Pref_Sus.UFS
    trict AM Ref

```

Scale 217700


Link Annot:

+ Delay sec

- Delay sec

Differ: 1-2

Bandwidths = 100.00/mm



19/06/26

STANTEC UK L

AtkinsRealis
/ DVV / ITS

trict_AM_LP_
Pref_Sus.UFS
trict_AM_Ref


Scale 48554

Link Annot:

+ Delay sec
- Delay sec

Differ: 1-2

Bandwidths =
100.00/mm



2040 Horsham Preferred Local Plan Scenario minus Reference Case Scenario Delays PM - Wide

SATURN

AtkinsRealis
/ DVV / ITS

trict_PM_LP_
Pref_Sus.UFS
trict_PM_Ref


Scale 253455

Link Annot:

+ Delay sec
- Delay sec

Differ: 1-2

Bandwidths =
100.00/mm



2040 Horsham Preferred Local Plan Scenario minus Reference Case Scenario Delays PM - Horsham Town Centre

SATURN

AtkinsRealis
/ DVV / ITS

trict_PM_LP_
Pref_Sus.UFS
trict_PM_Ref

Scale 56292

Link Annot:

+ Delay sec
- Delay sec

Differ: 1-2

Bandwidths =
100.00/mm

